TO ALL TO WHOM THESE; PRESENTS; SHAM; COME;;

# Pioneer Hi-Bred International, Inc.

Wilherens. There has been presented to the

#### Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED NOVEL VARIETY OF SEXUALLY REPRODUCED PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUGGED TO BE ENTITLED TO A CERTIFICATE OF PLANT ARIETY PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S), AND THE SUCCESSORS, HEIRS OF ASSIGNS OF THE SAID APPLICANT(S) FOR THE TERM OF Eighteen YEARS FROM THE DATE OF THIS GRANT, SUBJECT TO THE PAYMENT OF THE REQUIRED FEES AND PERIODIC REPLENISHMENT OF VIABLE BASIC SEED OF THE VARIETY IN A PUBLIC REPOSITORY AS PROVIDED BY LAW, THE RIGHT TO EX-CLUDE OTHERS FROM SELLING THE VARIETY, OR OFFERING IT FOR SALE, OR REPRODUCING IT, OR IMPORTING IT, OR EXPORTING IT, OR USING IT IN PRODUCING A HYBRID OR DIFFERENT ETY THEREFROM, TO THE EXTENT PROVIDED BY THE PLANT VARIETY PROTECTION ACT T. 1542, AS AMENDED, 7 U.S.C. 2321 ET SEQ.)

SOYBEAN

'9091'

In Testimony Wancreot, I have hereunto set my hand and caused the seal of the Plant Tariety Protection Office to be affixed at the City of Washington, D. C. this 30th day of October the year of our Lord one thousand nine hundred and eighty-seven.

Variety Protection Office

Agricultural Marketing Service

U.S. DEPARTMENT	OF AGRICULT	TÜRE		M APPROVED: OMB NO, 0681-0055	
APPLICATION FOR PLANT VAR	if a p	Application is required in order to determine if a plant variety protection certificate is to be issued (7 U.S.C. 2421). Information is			
	is on reverse)	ECTION CENTIFICATE		confidential until certificate is issued S.C. 2426).	
1. NAME OF APPLICANT(S)		2. TEMPORARY DESIGNATI	ON 3. V	ARIETY NAME	
Pioneer Hi-Bred International	, Inc.	·		9091	
4. ADDRESS (Street and No. or R.F.D. No., City, Sta 700 Capital Square 400 Locust Street	ite, and Zip Code	319/234-0335	PVP	NUMBER	
Des Moines, IA 50309		<u> </u>		8700100	
Glycine Max		inosae	FILENG	March 31, 1987	
·				9:30 A.M. P.M.	
8. KIND NAME	S	September, 1981	<u> </u>	\$ 180000	
Soybean		September, 1981 January, 1985 (Inc	reas <b>e</b>	March 31, 1987	
10. IF THE APPLICANT NAMED IS NOT A "PERSO partnership, association, etc.)	DN," GIVE FOR	M OF ORGANIZATION (Corpora	EES RE	\$ 200 -	
Corporation			<b>.</b> .	September 29,1987	
11. IF INCORPORATED, GIVE STATE OF INCORP. IOWA	ORATION		12.	DÁTELOF INCORPORATION	
13. NAME AND ADDRESS OF APPLICANT REPRE	SENTATIVE(S),	IF ANY, TO SERVE IN THIS AP	PLICATIO		
Clark W. Jennings		Mary Helen Mi			
3261 West Airline Hwy				- 400 Locust Street	
Waterloo, IA 50703		Des Moines I	e area cod	309	
14. CHECK APPROPRIATE BOX FOR EACH ATTA			. Du sécusió		
a. A Exhibit A, Origin and Breeding History of Exhibit B, Novelty Statement.	t the Variety (Se	e Section 32 of the Plant Vanet	Protection	m Act.)	
c. X Exhibit C, Objective Description of Varie	ty (Request for	n from Plant Variety Protection	Office.)		
d, D Exhibit D, Additional Description of Var					
e. Exhibit E, Statement of the Basis of Appl 15. DOES THE APPLICANT(S) SPECIFY THAT SEE			AME ON	Y AS A CLASS OF CERTIFIED	
SEED? (See Section 83(a) of the Plant Variety Pro-	otection Act.)	Yes (If "Yes," ans	wer items	16 and 17 below) X No	
16. DOES THE APPLICANT(S) SPECIFY THAT THE LIMITED AS TO NUMBER OF GENERATIONS?		17. IF "YES" TO ITEM BEYOND BREEDER	SEED?	CLASSES OF PRODUCTION	
Yes X No	500 000TEO	Foundation		Registered Certified	
18. DID THE APPLICANT(S) PREVIOUSLY FILE	FOR PHOTEC	HON OF THE VARIETT IN TH	IE 0.5.1	Yes (If "Yes," give date)	
				X No	
19. HAS THE VARIETY BEEN RELEASED, OFFE	RED FOR SALE	E, OR MARKETED IN THE U.S	OR OTH	ER COUNTRIES ?  Yes (If "Yes," give names of countries and dates)	
		,		No No	
20. The applicant(s) declare(s) that a viable samplenished upon request in accordance with s	ple of basic see uch regulations	ds of this variety will be furni s as may be applicable.	shed with	the application and will be re-	
The undersigned applicant(s) is (are) the own distinct, uniform, and stable as required in S Variety Protection Act.	ner(s) of this se ection 41, and	exually reproduced novel plan is entitled to protection unde	r the pro	Asions of Section 42 of the Flant	
Applicant(s) is (are) informed that false repr	esentation here	ein can jeopardize protection:		<del></del>	
SIGNATURE OF APPLICANT				3/19/87	
SIGNATURE OF APPLICANT	<u>v</u>		<del>  </del> ,	DATE	
-				1	

8700100

Attachment: 9091 Soybean (March 1987)

Exhibit A: Variety 9091 evolved from a cross of Peterson 85 x variety 1677. It is an F5-derived variety which was advanced to the F5 generation by modified single-seed descent. The F6 progeny row of 9091 was grown in Iowa during the summer of 1981. Subsequently, 9091 has undergone five years of extensive testing and purification and has been observed by the breeder to be uniform and stable for all plant traits from generation to generation, with no evidence of variants.

Three acres of **9091** (breeders seed) were grown in 1985. 47 acres of parent seedstock (foundation seed equivalent) were grown in 1986.

- Exhibit B: Variety 9091 is most similar to variety 9061. Both varieties have purple flowers, gray pubescence and yellow seeds with yellow hila. Variety 9091 has tan pods and is susceptible to race 1 of Phytophthora root rot whereas 9061 has brown pods and is resistant to race 1.
- Exhibit E: Pioneer Hi-Bred International, Inc. is the sole, original, and first breeder of soybean variety 9091, for which it solicits a certificate of protection.

EXHIBIT C

U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE LIVESTOCK, MEAT, GRAIN & SEED DIVISION PLANT VARIETY PROTECTION OFFICE BELTSVILLE, MARY LAND 20705

# OBJECTIVE DESCRIPTION OF VARIETY SOYBEAN (Glycine max L.)

NAME OF APPLICANT(S) TEMPORARY DESIGNATION	VARIETY NAME
Pioneer Hi-Bred International, Inc.	9091
ADDRESS (Street and No., or R.F.D. No., City, State, and Zip Code)	FOR OFFICIAL USE ONLY
700 Capital Square 400 Locust Street	PVPO NUMBER
Des Moines, IA 50309	8700100
Choose the appropriate response which characterizes the variety in the features described by	pelow. When the number of significant digits
in your answer is fewer than the number of boxes provided, place a zero in the first box w	hen number is 9 or less (e.g., 0 9).
1. SEED SHAPE:	
	L/W ratio > 1.2; L/T ratio ≈ < 1.2) L/T ratio > 1.2; T/W > 1.2)
2. SEED COAT COLOR: (Mature Seed)	
1 1 = Yellow 2 = Green 3 = Brown 4 = Black 5 = Other /	Specify)
T 1 - renow 2 - Green 3 - Brown 4 - Black 5 - Other 1	Specify,
3. SEED COAT LUSTER: (Mature Hand Shelled Seed)	
1 = Dull ('Corsoy 79'; 'Braxton') 2 = Shiny ('Nebsoy'; 'Gasoy 17')	
4. SEED SIZE: (Mature Seed)	
1 5 Grams per 100 seeds	
5. HILUM COLOR: (Mature Seed)	
2 1 = Buff 2 = Yellow 3 = Brown 4 = Gray 5 = Imperfect Black	ck 6 = Black 7 = Other (Specify)
6. COTYLEDON COLOR: (Mature Seed)	
1 = Yellow 2 = Green	
7. SEED PROTEIN PEROXIDASE ACTIVITY:	·
2 1 = Low 2 = High	
8. SEED PROTEIN ELECTROPHORETIC BAND:	
1 = Type A (SP1 <sup>a</sup> ) 2 = Type B (SP1 <sup>b</sup> )	
9. HYPOCOTYL COLOR:	
1 = Green only ('Evans'; 'Davis') 2 = Green with bronze band below cotyledons ('Value of the standard of the s	Voodworth'; 'Tracy')
10. LEAFLET SHAPE:	
3 1 = Lanceolate 2 = Oval 3 = Ovate 4 = Other (Specify)	

FORM LMGS-470-57 (2-82)

II. LEAFL	ET SIZE:	en e
2	1 = Small ('Amsoy 71'; 'A5312') 2 = Medium ('Corsoy 79'; 'Gasoy 17') 3 = Large ('Crawford'; 'Tracy')	
12. LEAF	COLOR:	
2	1 = Light Green ('Weber'; 'York') 2 = Medium Green ('Corsoy 79'; 'Braxton') 3 = Dark Green ('Gnome'; 'Tracy')	·
13. FLOW	ER COLOR:	· · · · · · · · · · · · · · · · · · ·
2	1 = White 2 = Purple 3 = White with purple throat	
14. POD CO	DLOR:	
1	1 = Tan 2 = Brown 3 = Black	·
15. PLANT	PUBESCENCE COLOR:	
1	1 = Gray 2 = Brown (Tawny)	······································
16. PLANT	TYPES:	
1	1 = Slender ('Essex'; 'Amsoy 71') 2 = Intermediate ('Amcor'; 'Braxton') 3 = Bushy ('Gnome'; 'Govan')	
17. PLANT	HABIT:	
3	1 = Determinate ('Gnome'; 'Braxton') 2 = Semi-Determinate ('Will') 3 = Indeterminate ('Nebsoy'; 'Improved Pelican')	
18. MATUR	NITY GROUP:	
18. MATUR	1 = 000	8 = V
0 3	1 = 000 2 = 00 3 = 0 4 = I 5 = II 6 = III 7 = IV	8 = V
0 3 19. DISEAS	1 = 000	8 = V
0 3 19. DISEAS	1 = 000	8 = V
0 3	1 = 000	8 = V
0 3	1 = 000	8 = V
0 3  19. DISEAS  BACTI  0  0	1 = 000 2 = 00 3 = 0 4 = I 5 = II 6 = III 7 = IV 9 = VI 10 = VII 11 = VIII 12 = IX 13 = X  EREACTION: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Resistant)  ERIAL DISEASES:  Bacterial Pustule (Xanthomonas phaseoli var. sojensis)  Bacterial Blight (Pseudomonas glycinea)  Wildfire (Pseudomonas tabaci)	8 = V
0 3  19. DISEAS  BACTI  0  0	1 = 000 2 = 00 3 = 0 4 = I 5 = II 6 = III 7 = IV 9 = VI 10 = VII 11 = VIII 12 = IX 13 = X  E REACTION: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Resistant)  ERIAL DISEASES:  Bacterial Pustule (Xanthomonas phaseoli var. sojensis)  Bacterial Blight (Pseudomonas glycinea)	8 = V
0 3  19. DISEAS  BACTI  0  0	1 = 000 2 = 00 3 = 0 4 = I 5 = II 6 = III 7 = IV 9 = VI 10 = VII 11 = VIII 12 = IX 13 = X  EREACTION: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Resistant)  ERIAL DISEASES:  Bacterial Pustule (Xanthomonas phaseoli var. sojensis)  Bacterial Blight (Pseudomonas glycinea)  Wildfire (Pseudomonas tabaci)  L DISEASES:	8 = V
0 3  19. DISEAS  BACTI  0  0	1 = 000 2 = 00 3 = 0 4 = I 5 = II 6 = III 7 = IV 9 = VI 10 = VII 11 = VIII 12 = IX 13 = X  EREACTION: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Resistant)  ERIAL DISEASES:  Bacterial Pustule (Xanthomonas phaseoli var. sojensis)  Bacterial Blight (Pseudomonas glycinea)  Wildfire (Pseudomonas tabaci)  L DISEASES:  Brown Spot (Septoria glycines)  Frogeye Leaf Spot (Cercospora sojina)	
0 3  19. DISEAS  BACTI  0  0	1 = 000  2 = 00  3 = 0  4 = I  5 = II  6 = III  7 = IV 9 = VI  10 = VII  11 = VIII  12 = IX  13 = X  E REACTION: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Resistant)  ERIAL DISEASES:  Bacterial Pustule (Xanthomonas phaseoli var. sojensis)  Bacterial Blight (Pseudomonas glycinea)  Wildfire (Pseudomonas tabaci)  L DISEASES:  Brown Spot (Septoria glycines)  Frogeye Leaf Spot (Cercospora sojina)  Race 1  0  Race 2  0  Race 3  0  Race 4  0  Race 5  Other (Spe	
0 3  19. DISEAS  BACTO  0  0  FUNGA  0	1 = 000  2 = 00  3 = 0  4 = I  5 = II  6 = III  7 = IV 9 = VI  10 = VII  11 = VIII  12 = IX  13 = X  E REACTION: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Resistant)  ERIAL DISEASES:  Bacterial Pustule (Xanthomonas phaseoli var. sojensis)  Bacterial Blight (Pseudomonas glycinea)  Wildfire (Pseudomonas tabaci)  L DISEASES:  Brown Spot (Septoria glycines)  Frogeye Leaf Spot (Cercospora sojina)  Race 1	
0 3  19. DISEAS  BACTO  0  0  FUNGA  0  0	1 = 000  2 = 00  3 = 0  4 = I  5 = II  6 = III  7 = IV 9 = VI  10 = VII  11 = VIII  12 = IX  13 = X  EREACTION: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Resistant)  ERIAL DISEASES:  Bacterial Pustule (Xanthomonas phaseoli var. sojensis)  Bacterial Blight (Pseudomonas glycinea)  Wildfire (Pseudomonas tabaci)  L DISEASES:  Brown Spot (Septoria glycines)  Frogeye Leaf Spot (Cercospora sojina)  Race 1	
0 3  19. DISEAS  BACTO  0  0  FUNGA  0  0  0	1 = 000  2 = 00  3 = 0  4 = I  5 = II  6 = III  7 = IV 9 = VI  10 = VII  11 = VIII  12 = IX  13 = X  E REACTION: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Resistant)  ERIAL DISEASES:  Bacterial Pustule (Xanthomonas phaseoli var. sojensis)  Bacterial Blight (Pseudomonas glycinea)  Wildfire (Pseudomonas tabaci)  L DISEASES:  Brown Spot (Septoria glycines)  Frogeye Leaf Spot (Cercospora sojina)  Race 1	

FORM LMGS-470-57 (2-82)

				0/00100
19. DISEA	SE REACTIO	N: (Enter 0 = Not Tested; 1 = Susceptible; 2	Resistant) (Continued)	
FUN	IGAL DISEA	SES: (Continued)		
0	Pod and Sto	em Blight (Diaporthe phaseolorum var; sojae)		
0	Purple Seed	Stain (Cercospora kikuchii)		
0	Rhizoctonia	a Root Rot (Rhizoctonia solani)		
	Phytophthe	ora Rot (Phytophthora megasperma var. sojae)		
	Race 1	1 Race 2 0 Race 3 0	Race 4 0 Race	5 0 Race 6 0 Race 7
0	Race 8	0 Race 9 0 Other (Specify)		
VIRA	AL DISEASES	<b>:</b>		
0	Bud Blight (	Tobacco Ringspot Virus)		
	Yellow Mos	aic (Bean Yellow Mosaic Virus)		
0	Cowpea Mos	saic (Cowpea Chlorotic Virus)		
0	Pod Mottle	Bean Pod Mottle Virus)		
0	Seed Mottle	(Soybean Mosaic Virus)		
NEMA	ATODE DISE	ASES:		
· · · · · · · · · · · · · · · · · · ·	Soybean Cys	t Nematode (Heterodera glycines)		
0	Race 1	0 Race 2 0 Race 3 0	Race 4 0 Other	(Specify)
0	Lance Nema	tode (Hopiolaimus Colombus)		
0	Southern Ro	ot Knot Nematode (Meloidogyne incognita)		
O	Northern Ro	ot Knot Nematode (Meloidogyne Hapla)		
0	Peanut Root	Knot Nematode (Meloidogyne arenaria)		
0	Reniform Ne	matode (Rotylenchulus reniformis)		
一	OTHER DIS	EASE NOT ON FORM (Specify):		
		<del></del>		
O. PHYSIOL	LOGICAL RE	SPONSES: (Enter 0 = Not Tested; 1 = Suscep	tible; 2 = Resistant)	
	Iron Chlorosi	s on Calcareous Soil		
	Other (Specif	y)		
1. INSECT I	REACTION:	(Enter 0 = Not Tested; 1 = Susceptible; 2 = Re	sistant)	
<u></u>	Mexican Bean	Beetle (Epilachna varivestis)		garage and the second
0,	Potato Leaf H	opper (Empoasca fabae)		
	Other <i>(Specif</i> )	//		
2. INDICAT	E WHICH VA	RIETY MOST CLOSELY RESEMBLES THAT	T SUBMITTED.	
CHARA	CTER	NAME OF VARIETY	CHARACTER	NAME OF VARIETY
Plant Snap	oe .	Peterson 85	Seed Coat Luster	Steele
Leaf Shape	е	9061	Seed Size	Dawson
Leaf Color		9061	Seed Shape	Steele
Leaf Size		9061	Seedling Pigmentation	Dawson
		974 4	is a second of the second of t	

## 23. GIVE DATA FOR SUBMITTED AND SIMILAR STANDARD VARIETY: Paired Comparison Data

VARIETY	DAYS L		PLANT	LEAFLET SIZE		SEED CONTENT		SEED SIZE G/100	NO. SEEDS/
			HEIGHT	CM Width	CM Length	% Protein	% Oil	SEEDS	POD
9091 Submitted	114	1.9	82	_	<u>-</u>	36	19	15	. <del>-</del>
9061 Name of Similar Variety	111	2.0	84	<b>-</b>	_	35	20	13	<u> </u>

### PUBLICATIONS USEFUL AS REFERENCE AIDS FOR COMPLETING THIS FORM:

- 1. Caldwell, B.E., ed. 1973. Soybeans: Improvement, Production, and Uses. Amer. Soc. Agron. Monograph No. 16.
- 2. Buttery, B.R. and R.I. Buzzell. 1968. Peroxidase activity in seeds of soybean varieties. Crop Sci., 8: 722-725.
- 3. Hymowitz, T. 1973. Electrophoretic analysis of SBTI-A2 in the USDA soybean germplasm collection. Crop Sci., 13: 420-421.
- 4. Payne, R.C. and L.F. Morris. 1976. Differentiation of soybean cultivars by seedling pigmentation patterns. J. Seed Technol. 1: 1-19.

